

City of Regina Standard Construction Specifications APPROVED PRODUCTS LIST

Requests for alternate products may be submitted to:

Development Services
City Planning and Development Division
Queen Elizabeth II Court
2476 Victoria Avenue
Regina, Saskatchewan
S4P 3C8
e-mail: productreviews@regina.ca

	Revision List							
Date	Description							
January 30, 2017	Initial Issue							
April 4, 2017	Revised RP-02 - Crack Sealant							
April 4, 2017	Revised WP-16 - Curb Boxes – removed Mueller as they no longer supply curb boxes							
June 26, 2017	General: Revised Trojan Industries to Titan Foundry Revised WP-10 and SP-02 – Valve Boxes: removed IPEX and SIGMA Revised WP-16 – Curb Boxes: Added Titan Foundry Revise SP-10 - Catch Basin Frame and Covers on Bus Routes and Arterial Streets: Added TF 103-4 Revised SP-11 – High Capacity Catch Basin Frame and Cover: Added Titan Foundry Type K-1							
January 17, 2018	Revised SP-09 – Grated Catch Basin Frame and Cover in Easements to refer to Standard Drawing S-7 Revised SP-10 - Catch Basin Frame and Covers on Bus Routes and Arterial Streets. Removed reference to TF 103-3. Revised WP-05 – added stainless steel or epoxy coated ductile iron sleeves. Revised WP-10- Added note regarding WD Industrial Type A PI to be used in open space areas only. Revised WP-16 – Added WD Industrial as approved. Revised RP-01 – Revised standard to be ASTM F667.							
April 28, 2018	Revised WP-05 – Added Smith-Blair; updated standard reference. Revised WP-06 – Removed Dresser, Mueller "Maxi-Range", Canada Pipeline Accessories; updated standard reference.							
August 1, 2018	Revised WP-04 – Added CLOW as approved. Revised standard notes and comments. Revised WP-06 – Added Smith Blair as approved for couplings > 600, updated standard notes and comments. Revised WP-09 – Added VENT-O-MAT as approved. Revised SP-03 - Added VENT-O-MAT as approved.							
November 20, 2018	Revised WP-06 – Added HYMAX GRIP and HYMAX Ductile Iron High pressure couplings as approved for couplings ≤ 300mm.							
April 05, 2024	Added TP-01 - Added AEROFLEX in the Traffic Product list							

Section	Page	Product	Product	Manufacturer	Product Model	Standard	Comment/Description
	(Clause)	ID					
	1 .	T			NS PRODUCTS (WP)		T =
1510	(2.2)	WP – 01	Fitting: Aluminum or 316 stainless steel	CAMLOK			Min pressure rating 690 kPa.
2511	2 (2.1.1)	WP - 02	PVC Pipe	IPEX Royal Pipe Riau		CSA B137 Series 13 ANSI/NSF 61 AWWA C900	
2511	4 (2.2.2)	WP - 03	PVC Fitting	HARCO IPEX		CSA B137.2 AWWA C907 ANSI/NSF 61	
2511	5 (2.2.5)	WP - 04	Joint restraints	Uni-Flange CLOW		UNI-B-13 and ASTM F1674	DI bodies to ASTM A356 Grade 64-45- 12; 304 SS Bolts
2511	7 (2.6.1)	WP - 05	Couplings and Adaptors	IPEX Inc. HARCO		PVC: CSA B137.2	PVC to PVC pipe
			(≤ 300mm)	Robar Romac Smith Blair HYMAX	1696 Macro HP GRIP, Ductile Iron High Pressure Couplings	AWWA C219 ASTM A536 Gaskets: NSF 61	PVC to PVC or, PVC to AC or CI: T304 stainless sleeve or epoxy coated DI sleeves and followers.
2511	7 (2.6.2)	WP - 06	Couplings and Adapters (> 300mm to 600mm)	Robar Romac Smith Blair			

Section	Page (Clause)	Product ID	Product	Manufacturer	Product Model	Standard	Comment/Description	
		WP – 06 (Cont'd)	Couplings and Adaptors	Robar		AWWA C219 Sleeves: ASTM A53	Carbon steel sleeves, ductile iron followers,	
			(> 600mm)	Romac		Followers: ASTM A536	fusion bonded epoxy coating.	
				Smith Blair		Gaskets: NSF 61		
2511	8 (2.7.1)	WP – 07	Valves: Gate Valves	Mueller		AWWA C509 AWWA C515		
	(2.7.1)			Clow		ANSI/NSF 61		
				Bray				
2511	8 to 9 (2.7.2)			P – 08 Valves: Butterfly Valves	K-Flo	Wolverine Series 500 and series 47	AWWA C505 AWWA C504	
				DeZurik	DeZurik-RS632	ANSI/NSF 61		
				Mueller	Mueller Lineseal III			
				Henry Pratt	Pratt-groundhog			
				Bray				
2511	9 (2.7.3)	WP – 9	Valves: Air Release	Val-Matic Cla-Val APCO VENT-O-MAT		AWWA C512 ANSI/NSF 61		
2511	10 (2.9)	WP – 10	WP – 10 Valves Boxes	Titan Foundry	Cast Iron Upper Section / PVC Lower		Normal use in roadways.	
				Norwood Foundries	Cast Iron Upper Section / PVC Lower			

Section	Page (Clause)	Product ID	Product	Manufacturer	Product Model	Standard	Comment/Description				
		WP-10 (Cont'd)	Valves Boxes	WD Valve Boxes Ltd.	Type A PI		PVC upper section is approved only for use in open space applications. Not to be used under				
	11	WP – 11	Hydrant	Mueller		AWWA C502	roadways.				
2511	(2.10)	W1 11	Trydrant	Clow		11W WIT C302					
2516	2 (2.3.1)	WP – 12	Service Saddle	ROBAR	Series 2600		For PVC pipe only. Service saddles on				
							Cambridge Brass	Series 8400		AC or CI pipe require full circle gaskets.	
2516	2 (2.3.2)	WP – 13	WP – 13	WP – 13	WP – 13	WP – 13	Repair Clamps	ROBAR	Series 5600		
					ROMAC	Style SS2					
2516	2	WP – 14	Unions	Ford							
	(2.3.2)			Mueller							
				Cambridge Brass							
2516	2 (2.3.4)		WP – 15 Curb Stops	Mueller	Mueller Type H15219N, Mueller Type H15182N	ANSI/NSF 61	Low Lead				
				Cambridge Brass	Cambridge Brass Model 203NL						
				Ford	Ford Model B44N						

Section	Page (Clause)	Product ID	Product	Manufacturer	Prod	uct Model	Standard	Comment/Description	
2516	2 (2.3.4)	WP – 16	Curb Boxes and Covers	Titan Foundry	Epoxy co Iron Boo	oated Cast ots	ASTM A48	Ribbed cover complete with	
				WD Industrial	Polymer	Boots		standard pentagon plug. Refer to Standard Drawing S-7	
2516	2516 3 WP - (2.3.5)		Corporation Stops	Mueller	H 15008 40mm/50 Type H2	Omm: Mueller 5008N	ANSI/NSF 61	Low Lead	
			Ford Cambrid	Ford Cambridge Brass	or FB100 Cambrid	ge Brass			
2516		WD 10	D. C. C. L.		Model 30		A WWW A C200		
2516	(2.3.6)	WP - 18		1		Primer	Tape	AWWA C209 AWWA C217	
	(2.3.0)		primer for coating	Denso	Paste	Densyl	AW WA C217		
				Polyken	927	932			
				Trenton	Paste	Tec-tape			
				PetroWrap	Primer	LT			
2516	3 (2.3.8)	WP – 19	Tapping Sleeves and Valves	ROBAR	Series 6606 SST				
	(2.3.6)		vaives	ROMAC					
15151	1	WP - 21	WP – 21 Water Meters	SENSUS	SRII iPERL		· • • • • • • • • • • • • • • • • • • •	The Water Meters shall be supplied with an encoder type	
				Neptune	Neptune	T10	Registers to AWWA C707	register as specified in section 15151.	

Section	Page (Clause)	Product ID	Product	Manufacturer	Product Model	Standard	Comment/Description					
15151	3	WP – 22	Complementary Metal Oxide Semiconductor	Neptune	Neptune T10							
			(CMOS) with Meter Interface Units	Sensus								
15403	1	WP – 23		Conbraco								
			Vacuum Breakers	Watts								
			(HCVB)	Zurn/Wilkins								
				Febco								
15403	1	WP – 24	WP – 24	WP - 24	WP – 24	WP – 24	P – 24 Double Check Valve	Conbraco				
			Assembly (DCVA)	Watts								
				Zurn/Wilkins								
				Febco								
15403	2	WP – 25	WP - 25		Conbraco							
			Principle Backflow	Febco								
			Assembly (RPPBA)	Watts								
										Zurn Wilkins		
2511	5-6 (2.5.1)	WP-26	6 Internal Lining	Devoe	Bar Rust 233 H	AWWA C210 ANSI/NSF-61	Liquid Epoxy					
				To be Determined		AWWA C213 ANSI/NSF-61	Fusion Bonded Epoxy					
2511	5-6 (2.5.1)	WP-27	Exterior Coating	Shaw	Yellow Jacket		Pipe sizes 600 mm and smaller					

Section	Page (Clause)	Product ID	Product	Manufacturer	Product Model	Standard	Comment/Description
	(Clause)	WP-27 (Cont'd)	Exterior Coating	Valspar	Pipeclad 2000 Fusion Bonded Epoxy	AWWA C213 or CSA Z245.20	Optional for pipe sizes 600 mm and smaller and for all
				Denso	Polyolefin Tape Coating	AWWA C214	pipe sizes greater than 600mm.
				Denso	Protal 7250 Liquid Epoxy	AWWA C210	Spot Repairs Only
2511	12	WP-28	Cadweld	Erico	CS25XF-19		
	(2.13.2)		Cadweld mould	Erico	CAHBA-1H		
2511	10 (2.10.3)	WP-29	Pumper Connection	Mueller		NFPA 1963, UL 240, FM 1510 or FM 1511	
	II.	l	SEWE	R SPECIFICATIO	NS PRODUCTS (SP)	1	
1325	2 (2.2)	SP - 01	Valves: Gate Valves	Mueller Clow		AWWA C509 AWWA C515	
1325	2 (2.2)	SP - 02	Valves boxes	Titan Foundry			
	(2.2)			Norwood Foundries			
				WD Valve Boxes Ltd.	Type A PI		
1325	2	SP - 03	Combination Sewage	APCO	Series 440		
	(2.3)		Air Valves	API	D-020	=	
				VENT-O-MAT		-	

Section	Page (Clause)	Product ID	Product	Manufacturer	Product Model	Standard	Comment/Description	
1330	2 (2.2)	SP - 04	Standard Manhole Frame and Cover in	Titan Foundry	NF-80	ASTM A48 ASTM A27	Refer to Standard Drawing S-9	
	(=:=)		All Traffic Areas and easements	Norwood Foundry	TF-80			
1330	(2.2)	SP – 05	Oversized Manhole Frame and Covers	Titan Foundry	TF-40	ASTM A48 ASTM A27	Refer to Standard Drawing S-29	
				Norwood Foundry	NF-40			
1330	2 (2.2)	SP – 06	Catch Basin Frame and Cover (rolled curb on	Norwood Foundry	NF-35	ASTM A48 ASTM A27	Refer to Standard Drawings S-14. Residential and	
			low point or continuous grade)	Titan Foundry	TF-35		collector streets only.	
1330	2 (2.2)	SP – 07 Catch Basin Frame and Cover (barrier curb at	Norwood Foundry	NF-36	ASTM A48 ASTM A27	Refer to Standard Drawings S-15.		
			low point or continuous grade)	Titan Foundry	TF-36		Residential and collector streets only.	
1330	1330 2 (2.2)		2 SP – 08 Ca	SP – 08 Catch Basin Frame and	Norwood Foundry	NF-60	ASTM A48 ASTM A27	Refer to Standard Drawing S-16. Use only on existing
			Titan Foundry TF-10	TF-104		catch basins that do not permit listed frames and covers to be installed.		
1330	2 (2.2)	SP – 09		Norwood Foundry	NF-80	ASTM A48 ASTM A27	Refer to Standard Drawing S-7.	
			Easements	Titan Foundry	TF-80			

Section	Page (Clause)	Product ID	Product	Manufacturer	Product Model	Standard	Comment/Description
1330	2 (2.2)	SP – 10	Catch Basin Frame and Covers on Bus Routes and Arterial Streets	Titan Foundry	TF-103-4	ASTM A48 ASTM A27	Refer to Standard Drawing S-15A
1330	2 (2.2)	SP-11	High Capacity Catch Basin Frame and Cover	Norwood Foundry Titan Foundry	NF-51-Side NF-51-Gutter K-1	ASTM A48 ASTM A27	Refer to Standard Drawings S-30A,
			Cover	Titali Foundry	K-1		S30B, S-30C, S30D
			ROADWA	AYS SPECIFICATI	ONS PRODUCTS (RP)	
2170	1 (2.1)	RP - 01	Perforated Drainage Pipe	Armtec	Big 'O'	ASTM F667	To be enclosed in filter fabric
				ADS	Single Wall		
2390	1 (2.1)	RP – 02	Crack Sealant	Crafco Inc.	Roadsaver 522	ASTM D6690	
			OPEN SP.	 ACE SPECIFICAT	 IONS PRODUCTS (OF	<u> </u>	
				CURRENTLY UNI		,	
		<u> </u>	TRAFFIC ENG	INEERING SPECI	I FICATIONS PRODUC	TTS (TP)	<u> </u>
N/A	N/A	TP - 01	Aeroflex	Pelco Products Inc			Traffic Signal backboard.