

City of Regina Standard Construction Specifications APPROVED PRODUCTS LIST

Requests for alternate products may be submitted to:

Development Services
City Planning and Development Division
Queen Elizabeth II Court
2476 Victoria Avenue
Regina, Saskatchewan S4P 3C8
E-mail: productreviews@regina.ca

	Revision List
Date	Description
January 30, 2017	Ini. al Issue
April 4, 2017	Revised RP-02 - Crack Sealant
April 4, 2017	Revised WP-16 - Curb Boxes – removed Mueller as they no longer supply curb boxes
June 26, 2017	General: Revised Trojan Industries to Titan Foundry
	Revised WP-10 and SP-02 – Valve Boxes: removed IPEX and SIGMA
	Revised WP-16 – Curb Boxes: Added Titan Foundry
	Revise SP-10 - Catch Basin Frame and Covers on Bus Routes and Arterial Streets: Added TF 103-4
	Revised SP-11 – High Capacity Catch Basin Frame and Cover: Added Titan Foundry Type K-1
January 17, 2018	Revised SP-09 – Grated Catch Basin Frame and Cover in Easements to refer to Standard Drawing S-7
	Revised SP-10 - Catch Basin Frame and Covers on Bus Routes and Arterial Streets. Removed reference to TF
	103-3.
	Revised WP-05 – added stainless steel or epoxy coated ductile iron sleeves.
	Revised WP-10- Added note regarding WD Industrial Type A PI to be used in open space areas only.
	Revised WP-16 – Added WD Industrial as approved.
	Revised RP-01 – Revised standard to be ASTM F667.
April 28, 2018	Revised WP-05 – Added Smith-Blair; updated standard reference.
	Revised WP-06 – Removed Dresser, Mueller "Maxi-Range", Canada Pipeline Accessories; updated standard
	reference.
August 1, 2018	Revised WP-04 – Added CLOW as approved. Revised standard notes and comments.
	Revised WP-06 – Added Smith Blair as approved for couplings > 600, updated standard notes and comments.
	Revised WP-09 – Added VENT-O-MAT as approved.
	Revised SP-03 - Added VENT-O-MAT as approved.
November 20, 2018	Revised WP-06 – Added HYMAX GRIP and HYMAX Ductile Iron High pressure couplings as approved for
	couplings ≤ 300mm.
Oct 4, 2022	Revised W-21 – Added Neptune Mach 10 Meter and updated the CSA standard.
	Revised W-22- Added Neptune R900 and R900 Cellular MIU
April 05, 2024	Added TP-01 - Added AEROFLEX in the Traffic Product list
Sep 03,2024	Revised WP-02 - Updated Manufacturer's name from Rehau to NEXT Polymers - Rehau sold the PVC pipe
	plant to NEXT Polymers in 2011.

Standard Construction Specification

Revision List								
Date	Date Description							
March 31, 2025	Revised WP- 07 - Gate Valves - Added Terminal City Iron Works as Gate Valve manufacturer Revised WP - 18 - Protective tape and primer - Added Bren Technologies Inc as manufacturer Revised WP-02 - PVC Pipes - Added Northern Pipe Products as C900 PVC pipe approved manufacturer Revised SP-12 - PVC Pipes - Added ADS Pipe as approved manufacturer							

			WATER	SPECIFICATIONS I	PRODUCTS (SP)		
Section	Page (Clause)	Product ID	Product	Manufacturer	Product Model	Standard	Comment/Description
1510	4 (2.2)	WP - 01	Fitting: Aluminum or 316 stainless steel	CAMLOK			Min pressure rating 690 kPa.
2511	2	WP - 02	PVC Pipe	IPEX		CSA B137 Series 13	
	(2.1.1)			Royal Pipe		ANSI/NSF 61 AWWA C900	
				NEXT Polymers			
				Northern Pipe			
2511	4	WP - 03	PVC Fitting	HARCO		CSA B137.2 AWWA	
	(2.2.2)			IPEX		C907 ANSI/NSF 61	
2511	5	WP – 04	Joint restraints	Uni-Flange		UNI-B-13 and ASTM	DI bodies to ASTM
	(2.2.5)			CLOW		F1674	A356 Grade 64-45- 12; 304 SS Bolts
2511	7	WP – 05	Couplings and Adaptors (≤ 300mm)	IPEX Inc.		PVC: CSA B137.2	PVC to PVC pipe
	(2.6.1)		(5 30011111)	HARCO			
				Robar	1696	AWWA C219	PVC to PVC or, PVC to
				Romac	Macro HP	ASTM A536	AC or CI: T304
				Smith Blair		Gaskets: NSF 61	stainless sleeve or
				НҮМАХ	GRIP, Ductile Iron High Pressure		epoxy coated DI sleeves and followers.
					Couplings		

Section	Page	Product	Product	Manufacturer	Product Model	Standard	Comment/Description
	(Clause)	ID					
2511	7	WP – 06	Couplings and	Robar		AWWA C219	PVC to PVC or, PVC to
	(2.6.2)	(2.6.2)	Adapters			ASTM A536	AC or CI: T304
			(> 300mm to 600mm)	Romac		Sleeves: ASTM A53	stainless sleeve or
				Smith Blair		Gaskets: NSF 61	epoxy coated DI
				Simen Bian			sleeves and followers.
							Carbon steel sleeves,
							ductile iron followers,
							fusion bonded epoxy
							coating.
2511	8 WP – 07	WP – 07 Valves: Gate (2.7.1)	Valves: Gate Valves	Mueller		AWWA C509 AWWA C515 ANSI/NSF 61	
	(2.7.1)			Clow			
				Bray			
				Terminal City			
2511	8 to 9	WP – 08	Valves: Butterfly Valves	K-Flo	Wolverine Series 500	AWWA C505	
	(2.7.2)				and series 47	AWWA C504	
				DeZurik	DeZurik-RS632	ANSI/NSF 61	
				Mueller	Mueller Lineseal III		
				Henry Pratt	Pratt-groundhog		
				Bray			
2511	9	WP – 9	Valves: Air Release	Val-Matic		AWWA C512	
	(2.7.3)			Cla-Val		ANSI/NSF 61	
				APCO			
				VENT-O-MAT			

Section	Page	Product	Product	Manufacturer	Product Model	Standard	Comment/Description	
	(Clause)	ID						
2511	10 (2.9)	WP-10	Valves Boxes	Titan Foundry	Cast Iron Upper	Normal use in	Normal use in	
				Norwood	Section / PVC Lower	roadways.	roadways.	
				Foundries	Cast Iron Upper			
				WD Valve Boxes	Section / PVC Lower		PVC upper section is	
				Ltd.	Type A PI		approved only for use	
							in open space	
							applications. Not to	
							be used under	
							roadways.	
	11		WP – 11 Hydrant	Mueller		AWWA C502		
2511	(2.10)			Clow		-		
2516	2	WP – 12	Service Saddle	ROBAR	Series 2600		For PVC pipe only.	
	(2.3.1)			TO BY LIK	361163 2000		Service saddles on	
							AC or CI pipe require	
				Cambridge Brass	Series 8400		full circle gaskets.	
2516	2	WP – 13	Repair Clamps	ROBAR	Series 5600			
	(2.3.2)			ROMAC	Style SS2	_		
2516	2	WP – 14	Unions	Ford				
	(2.3.2)	.3.2)	2)		Mueller			
				Cambridge Brass		1		

Section	Page (Clause)	Product ID	Product	Manufacturer	Prod	uct Model	Standard	Comment/Description
2516	2 (2.3.4)	WP – 15	Curb Stops	Mueller	Type H1	N, Mueller L5182N	ANSI/NSF 61	Low Lead
				Cambridge Brass	Model 2			
2516	2 (2.3.4)	WP – 16	Curb Boxes and Covers	Ford Titan Foundry		odel B44N oated Cast Iron	ASTM A48	Ribbed cover complete with
				WD Industrial	Polymer	Boots		standard pentagon plug. Refer to Standard Drawing S-7
2516	3 (2.3.5)		WP – 17 Corporation Stops	Mueller	Н 15008	0mm: Mueller	ANSI/NSF 61	Low Lead
				Ford	Ford Mo FB1000N	del F1000NL or IL		
				Cambridge Brass	Cambrid 301NL	ge Brass Model		
2516	3	WP – 18	Protective tape and		Primer	Таре	AWWA C209	
	(2.3.6)		primer for coating	Denso	Paste	Densyl	AWWA C217	
				Polyken	927	932		
				Trenton	Paste	Tec-tape		
				PetroWrap	Primer	LT		
				Bren Technologies	Primer	Tec-tape		

Section	Page (Clause)	Product ID	Product	Manufacturer	Product Model	Standard	Comment/Description
2516	3	WP – 19	11 0	ROBAR	Series 6606		
	(2.3.8)		Valves	ROMAC	SST	-	
15151	1	WP - 21	Water Meters	Neptune	Neptune Mach 10	AWWA C700, AWWA C715 AWWA C705, and NSF/ANSI 61 Registers to AWWA C707	The Water Meters shall be supplied with an encoder type register as specified in section 15151.
15151	3	WP – 22	Meter Interface Units	Neptune	Neptune R900		
15403	1	WP – 23	Hose Connection	Conbraco	Neptune R900 Cellular		
15405	1	Vacuum Breakers	COMBRACO				
			(HCVB)	Watts			
			Zurn/Wilkins				
				Febco			
15403	1	WP – 24	Double Check Valve	Conbraco			
			Assembly (DCVA)	Watts			
				Zurn/Wilkins			
				Febco			
15403	15403 2 W	WP – 25 Reduced Pressure	Conbraco				
			Principle Backflow	Febco			
			Assembly (RPPBA)	Watts			
				Zurn Wilkins			

Section	Page (Clause)	Product ID	Product	Manufacturer	Product Model	Standard	Comment/Description
2511	5-6 (2.5.1)	WP-26	Internal Lining	Devoe	Bar Rust 233 H	AWWA C210 ANSI/NSF-61	Liquid Epoxy
				To be Determined		AWWA C213 ANSI/NSF-61	Fusion Bonded Epoxy
2511	5-6 (2.5.1)	WP-27	Exterior Coa. ng	Shaw	Yellow Jacket	AWWA C213 or CSA Z245.20	Pipe sizes 600 mm and smaller
				Valspar	Pipeclad 2000 Fusion Bonded Epoxy		Optional for pipe sizes
				Denso	Polyolefin Tape Coating	AWWA C214	600 mm and smaller and for all pipe sizes greater than 600mm.
				Denso	Protal 7250 Liquid Epoxy	AWWA C210	Spot Repairs Only
2511	12	WP-28	Cadweld	Erico	CS25XF-19		
	(2.13.2)		Cadweld mould	Erico	САНВА-1Н		
2511	10 (2.10.3)	WP-29	Pumper Connection	Mueller		NFPA 1963, UL 240, FM 1510 or FM 1511	

			SE	WER SPECIFICATION	NS PRODUCTS (SP)		
Section	Page	Product	Product	Manufacturer	Product Model	Standard	Comment/Description
	(Clause)	ID					
1325	2	SP - 01	Valves: Gate Valves	Mueller		AWWA C509	
	(2.2)			Clow		AWWA C515	
1325	2	SP - 02	Valves boxes	Titan Foundry			
	(2.2)			Norwood			
				Foundries			
				WD Valve Boxes	Type A PI		
				Ltd.			
1325	2	SP - 03	Combination Sewage	APCO	Series 440		
	(2.3)		Air Valves	API	D-020		
				VENT-O-MAT			
1330	2	SP - 04	Standard Manhole	Titan Foundry	NF-80	ASTM A48	Refer to Standard
	(2.2)		Frame and Cover in All Traffic Areas and easements	Norwood Foundry	TF-80	ASTM A27	Drawing S-9
1330	2	SP - 05	Oversized Manhole Frame and Covers	Titan Foundry	TF-40	ASTM A48 ASTM A27	Refer to Standard Drawing S-29
	(2.2)		Frame and Covers	Norwood Foundry	NF-40	ASTIVI AZ/	Drawing 3-29
1330	2 (2.2)	SP - 06	Catch Basin Frame and Cover (rolled curb on	Norwood Foundry	NF-35	ASTM A48 ASTM A27	Refer to Standard Drawings S-14.
			low point or continuous grade)	Titan Foundry	TF-35		Residential and collector streets only.

Section	Page (Clause)	Product ID	Product	Manufacturer	Product Model	Standard	Comment/Description
1330	2	SP - 07	Catch Basin Frame and	Norwood Foundry	NF-36	ASTM A48	Refer to Standard
	(2.2)		Cover (barrier curb at			ASTM A27	Drawings S-15.
			low point or	Titan Foundry	TF-36		Residential and
			continuous grade)				collector streets only.
1330	2	SP - 08	Catch Basin Frame and	Norwood Foundry	NF-60	ASTM A48	Refer to Standard
	(2.2)		Covers (Non-standard)			ASTM A27	Drawing S-16. Use
							only on existing
				Titan Foundry	TF-104		catch basins that do
							not permit listed
							frames and covers
							to be installed.
1330	2	SP - 09	Grated Catch Basin	Norwood Foundry	NF-80	ASTM A48	Refer to Standard
	(2.2)		Frame and Cover in			ASTM A27	Drawing S-7.
			Easements	Titan Foundry	TF-80		
1330	2	SP - 10	Catch Basin Frame	Titan Foundry	TF-103-4	ASTM A48	Refer to Standard
	(2.2)		and Covers on Bus			ASTM A27	Drawing S-15A
			Routes and Arterial				
			Streets				
1330	2	SP-11	High Capacity Catch	Norwood Foundry	NF-51-Side NF-51-	ASTM A48	Refer to Standard
	(2.2)		Basin Frame and		GuΣer	ASTM A27	Drawings S-30A,
			Cover	Titan Foundry	K-1		S30B, S-30C, S30D
1300	1	SP-12	Polyvinyl Chloride	ADS Pipe	Sanitite HP Pipe	ASTM F2764	For sewer and
	(2.1)		Pipe (PVC)	7.551 190		ASTM D3034	drannaige use. Sizes
							up to 1200 mm

			ROADWAYS	SPECIFICATIONS PRO	DUCTS (RP)		
2170	.70 1 (2.1)	RP - 01	RP - 01 Perforated Drainage Pipe	Armtec Big 'O'	ASTM F667	To be enclosed in filter fabric	
				ADS	Single Wall		
2390	1 (2.1)	RP – 02	Crack Sealant	Crafco Inc.	Roadsaver 522	ASTM D6690	
			OPEN SPACE SPECIFICATION	ONS PRODUCTS (OP)	CURRENTLY UNDER RE	VIEW	
			TRAFFIC ENGINEER	ING SPECIFICATIONS	PRODUCTS (TP)		
N/A	N/A	TP - 01	Aeroflex	Pelco Products Inc			Traffic Signal backboard.