

**1.0 GENERAL**

1.1 Scope

- 1.1.1 The work shall consist of the removal and satisfactory disposal of existing concrete and concrete structures designated on the plans or by the Engineer.

1.2 Related Sections

- 1.1.1 Section 02010 – Sawcutting  
1.1.2 Section 02070 – Asphalt or Concrete Pavement Removal

**2.0 PRODUCTS**

None in this section

**3.0 EXECUTION**

3.1 Construction

- 3.1.1 When the Contractor receives written instruction from the Engineer or one of his representatives, to remove certain concrete, he shall do so in a safe manner. The Contractor shall notify abutting property owners at least seventy-two (72) hours prior to the removal of any concrete that work is to commence and indicate to them the approximate length of disruption.
- 3.1.2 Proper barricades and traffic accommodations shall be erected and maintained by the Contractor for protection as set out in the City of Regina Temporary Traffic Control Manual.
- 3.1.3 Complete sawcutting as necessary in accordance with Section 2010 Sawcutting.
- 3.1.4 If concrete removed is disposed of at the City of Regina Landfill, salvaged concrete material will be kept as free as possible of deleterious material such as soil, roots, or other rubbish the maximum size of the removed concrete shall not exceed 600mm in any direction. The City of Regina Landfill reserves the right to reject any load containing material(s) not meeting this requirement. Refer to City of Regina Landfill for further information regarding concrete waste and disposal.
- 3.1.5 All concrete removed shall be removed and disposed of off-site.
- 3.1.6 Only vehicles licensed for highway use shall be used for hauling demolished concrete on or across developed roadways.
- 3.1.7 Contractor shall ensure that removal methods do not damage adjacent concrete that is to remain. Any damage shall be repaired, at no additional cost, to the original or better condition.
- 3.1.8 Concrete around existing infrastructure shall be broken and removed with special care to prevent damage to existing infrastructure.